

EXTREM V

ONE VEHICLE . MULTI-PURPOSE . ALL TERRAIN



EXTREM V

The ExtremV shares the same lineage as the highly successful Bronco family of All Terrain Tracked Carriers. Designed for versatility and reliability, this multi-tasker can carry high rear payloads and be used as a personnel, logistics, and equipment transporter in extreme conditions, from harsh arctic to forest fires, for disaster relief and rescue operations.



Mobile Command Post



Search and Rescue (SAR)



Ambulance



Disaster Relief

Our unique features include the following:

- Best-in-class terrain accessibility; one vehicle to tackle all terrains
- Modular payload versatility; one vehicle with multiple uses
- Crew comfort and safety; rollover protection system and intuitively designed interior ergonomics
- Green mobility; Commercial-off-the-shelf (COTS) power pack in a compact body



Intuitively Designed Interior Ergonomics



Compact COTS Power Pack



Brush Guard & Winch (Optional)



Articulation Unit For Steering

VERSATILE DROP-IN REAR MODULES



Rear Cabin (Amphibious)



Flatbed (Amphibious)




Hooklift System




Fire Fighter


EXTREMV PERFORMANCE AND SPECIFICATIONS




Maximum Gradeability : 100%



Turning Radius



Maximum Side Slope : 70%



Trench Crossing

GROUND PRESSURE COMPARISON



Mountain Bike
275kPa (40psi)



Average Human
110kPa (16psi)



ExtremV
17kPa (2.5psi)

ALL TERRAIN	TECHNICAL SPECIFICATIONS (Baseline Configuration)		
Desert Snow Muddy Ground Alpine	Dimensions	Length	7.6m
		Width	2.3m
		Height	2.4m
	Performance	Maximum Speed	60km/h
		Gradeability	100%
		Side Slope	70%
		Vertical Obstacle	0.6m
		Trench	2m
		Engine Power	200hp
		Transmission	Auto 8 Forward 1 Reverse
		Steering	Hydraulic Articulated
		Turning Radius	7m
		Ground Pressure	17kPa
		Operating Temperature	-30°C to 49°C (-46°C with use of Cold Start Kit)
		Maximum Range	350km
		Amphibious	Yes (inland)
	Front Cabin	1 Driver, 3 Passengers	
Vehicle Weight	Kerb Weight	6,000kg	
	Payload	4,000kg	
	Gross Vehicle Weight	10,000kg	

Note: Specifications are subject to change by the manufacturer without prior notice. Pictures shown are for illustration purposes only, actual product may vary.



ST Engineering Land Systems Ltd
249 Jalan Boon Lay,
Singapore 619523

For more information on product:
www.stengg.com or contact
mktg.landsystems@stengg.com



DOP0124