



MAIN CAMP AND BASE - FUEL

**MULTI FUEL: STORES UP TO 51,000L OF DIESEL,
GASOLINE, A-1 JET FUEL.**



Military forward operating base, main base and airfield infrastructure fuel storage and dispensing systems.

Each tank fitted within a standard ISO frame, which can be coupled together for scalable solution.

Single or EPA-approved double-shelled tanks with leakage indicator

Transportable by road, rail and maritime networks

[HIGHLY CUSTOMIZABLE TO MEET YOUR REQUIREMENTS](#)

NATO Stock Number: 8145-12-367-6165

INTERMODAL



BASE SPECIFICATION

Length	6,058 - 12,192 mm / 20' - 40'
Width	2,438 mm / 8'
Height	1,220 - 2,591 mm / 8' - 8'6"
Payload range	3,000 - 51,000 litres / 1,575 - 13,420 U.S. gallon
Tare range (typical)	2,000 - 8,800 kg / 4,400 - 19,360 lbs
Max. gross range	5,000 - 60,000 kg / 67,200 - 79,370 lbs
Stacking	192,000 kg / 423,320 lbs
Build codes	AD-Merkblätter, WHG, VAwS, BetrSichV
Transport codes (Road, Rail, Sea)	ADR, RID, IMDG (T2-T10), IATA, Customs, Lloyd's Register, BAM, ISO 1496/3, UIC 592-2 (as far as applicable), CSC, ISO 3874
Materials	Carbon steel, 1.4301/1.4404 stainless steel. Double-shell design with leakage indicator.
Working pressure	2.0 - 4.0 bar / 30 - 60 psi
Temperature range (inner)	-40 - + 50 °C / -40 - + 122 °F
Optional equipment	<ul style="list-style-type: none"> Single/double-shell design Twin compartment (gasoline/diesel) Integrated pumping up to 1,500 l/min Rotary and fixed-wing refueller options Cold climate specification (heater) Manifold option. Up to 5 separate supplies via dry-break connectors Telematics

Issue 1/2017. Basic specifications subject to change without prior notice.

